

Endearing sight of nature's

Fing signt of nature s

ENDLESS


Polished Glazed Vitrified Tiles 600x1200mm

GLOSSY COLLECTION





COMMITTED TO INNOVATION & GROWTH






# THE LURE OF ITS OWN STYLE

The prime mission behind the establishment of is the offering unique yet affordable floor tile to the home and office. dreams to become one of the best Floor tiles designers and Manufacturers across the globe.

had introduced new Collection of 600x1200mm floor and wall tiles across the globe which received overwhelming response from the clients. Magnifying the luxury of floor by Italian style tiles is the passion of .









**600**x**1200**mm

**ENDLESS FINISH** 







Public Spaces































## **AMBIANCE BEIGE**

Finish: GLOSSY
Available Random 4










600x

\_1200mm

## **AMBIANCE BIANCO**

Finish: GLOSSY
Available Random 4











## **AMBIANCE NATURAL**

Finish: GLOSSY
Available Random 4











# **ARBECASTO GOLD**

Finish: GLOSSY
Available Random 4









# **ASTON WHITE**

Finish: GLOSSY
Available Random 4














## **CAMRON NATURAL**

Finish: GLOSSY
Available Random 4









#### **CAPRIA NATURAL**

Finish: GLOSSY
Available Random 4










## **CARMAUX WHITE**

Finish: GLOSSY
Available Random 4









# **CARNICO BROWN**

Finish: GLOSSY
Available Random 4





V

y









# **CARNICO GREY**

Finish: GLOSSY
Available Random 4









# **COREN WHITE**

Finish: GLOSSY
Available Random 4





600x<sup>1</sup>







## **DORLIN BEIGE**

Finish: GLOSSY
Available Random 4









# **FLEURY GOLD**

Finish: GLOSSY
Available Random 3









# **FONTANA WHITE**

Finish: GLOSSY
Available Random 3





600x<sup>1</sup>





## **FRENZY GREY**

Finish: GLOSSY
Available Random 3














## **FRENZY NATURAL**

Finish: GLOSSY
Available Random 3





600x<sup>1</sup>





# **KONSTEIN BEIGE**

Finish: GLOSSY
Available Random 4





600x \_1200mm





# **KONSTEIN BIANCO**

Finish: GLOSSY
Available Random 4











# **KONSTEIN BROWN**

Finish: GLOSSY
Available Random 4









## **KONSTEIN GREY**

Finish: GLOSSY
Available Random 4












#### **MALENA BROWN**

Finish: GLOSSY
Available Random 3









## **OMANI BEIGE**

Finish: GLOSSY
Available Random 4









## **OMANI BROWN**

Finish: GLOSSY
Available Random 4









## **OMANI GREY**

Finish: GLOSSY
Available Random 4









### **PERLINO BEIGE**

Finish: GLOSSY
Available Random 4






V

y









### **PERLINO GREY**

Finish: GLOSSY
Available Random 4










### **RICHER NATURAL**

Finish: GLOSSY
Available Random 3













# **SIENA SKY**

Finish: GLOSSY
Available Random 2









# **TARRIER BEIGE**

Finish: GLOSSY
Available Random 4





600x \_1200mm







Tiles and Slab








# **TARRIER BIANCO**

Finish: GLOSSY
Available Random 4





600x<sup>1</sup> \_1200mm





### **TARRIER BROWN**

Finish: GLOSSY
Available Random 4





600x<sup>1</sup>





# **TARRIER GREY**

Finish: GLOSSY
Available Random 4





600x<sup>1</sup>





# **VALOR ARMANI BEIGE**

Finish: GLOSSY
Available Random 4













# **VALOR ARMANI BIANCO**

Finish: GLOSSY
Available Random 4









# **VALOR ARMANI BROWN**

Finish: GLOSSY
Available Random 4









# **VALOR ARMANI GREY**

Finish: GLOSSY
Available Random 4













### **WILSON GREY**

Finish: GLOSSY
Available Random 4









### **WILSON WHITE**

Finish: GLOSSY
Available Random 4





600x \_1200mm

#### **TECHNICAL SPECIFICATION**

Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 176 Group Bla	Values
Α	Dimension & Surface Quality			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / -2.0% + / - 0.1%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manfacturer Norms	Nano Polished
В	Physical Properties			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength ( MOR )	ISO 10545-4	> 27 N / mm2	> 30 N / mm2
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density ( Gm / cc )	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manfacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manfacturer Norms	> PEI I V
С	Chemical Properties			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
D	Thermal Properties	nal Properties		
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	6 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

#### **PACKING DETAILS**

PRODUCT	SI <b>Z</b> E	PCS/BOX	COVERAGE AREA	
GLAZED VITRIFIED TILES	600x1200mm	2	1.44 SQ. MTR.	15.50 SQ. FT.

Note: Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

#### **APPLICATION**



AIRPORT TERMINAL



DISCO THEQUE



RELIGIOUS PLACES



**HOTEL** 



DOMESTIC



**OFFICES** 



**INDUSTRIES** 



**GYMNASIUNS** 



CORRIDOR HALLS



**SCHOOLS** 



SUPER MARKET



SHOPPING MALLS